

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2974	true near2 edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:25
S2	15	(true near2 edge)with enhanc\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:33
S3	70	(true near2 edge)same enhanc\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:41
S4	693	382/266.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:42
S5	830	382/266,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:42
S6	14	382/266,269.ccls. and (candidate near2 edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:42
S7	34	382/266,269.ccls. and ((candidate or true) near2 edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:12
S8	799	382/233.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:12

S9	7	382/233.ccls. and ((candidate or true) near2 edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:17
S10	418	decod\$4 and ((candidate or true) near2 edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:17
S11	25	decod\$4 and (filter\$4 with ((candidate or true) near2 edge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:30
S12	2522	decod\$4 and ((enhanc\$5 or sharpen\$4) with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:31
S13	3	decod\$4 and ((enhanc\$5 or sharpen\$4) with ((candidate or true)near3 (edge or contour)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:33
S14	2659	decod\$4 and ((enhanc\$5 or sharpen\$4) with ( (edge or contour)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:33
S15	0	decod\$4 and (filer\$4 with((enhanc\$5 or sharpen\$4) with ( (edge or contour))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:34
S16	1	decod\$4 and (filer\$4 same((enhanc\$5 or sharpen\$4) with ( (edge or contour))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:34

S17	557	decod\$4 and (filter\$4 with((enhanc\$5 or sharpen\$4) with ( (edge or contour))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:34
S18	48	decod\$4 and (filter\$4 with((enhanc\$5 or sharpen\$4) with ( (edge or contour))))with (intensity or luminance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:46
S19	2	"5790205".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:05
S20	3	"5491520".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:15
S21	2	"6833875".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:17
S22	2	"6573940".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:17
S23	7	decod\$4 and (filter\$4 with((enhanc\$5 or sharpen\$4) with ( (edge or contour))))with (classif\$7 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:49
S24	19	decod\$4 and (filter\$4 with((enhanc\$5 or sharpen\$4) with ( (edge or contour))))same (classif\$7 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:49

S25	3632796	(edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 07:09
S26	1723480	enhanc\$4 or sharpen\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 07:09
S27	447815	decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 07:09
S28	63043	S25 with S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 07:10
S29	85	S25 with S26 with S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 07:57
S30	29	S25 with S26 with S27 and (class\$8 or catagor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 07:32
S31	2	"5023919".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:59
S32	21829	class\$8 with edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:01

S33	37131	pixel with adjacent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:01
S34	32	S32 with S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:15
S35	620	candidate near2 edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:15
S36	20509	(candidate or likel\$5 or probab\$5 or possib\$5) near2 edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:17
S37	2974	(true) near2 edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:17
S38	38	S36 with S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:25
S39	562350	edge with adjacent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:25
S40	1	"5852475".pn.	USPAT	OR	OFF	2005/09/27 13:02
S41	1747	compar\$4 with (adjacent near2 pixel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:02

S42	173	compar\$4 with (adjacent near2 pixel) with (intensity or luminance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:03
S43	68	compar\$4 with (adjacent near2 pixel) with (intensity or luminance) same difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:03
S44	19	compar\$4 with (adjacent near2 pixel) with (intensity or luminance) same difference and class\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:05
S45	3	compar\$4 with (adjacent near2 pixel) with (intensity or luminance) same difference and (class\$8 with (edge or contour))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:17
S46	23450	(class\$8 with (edge or contour))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:17
S47	2	(class\$8 with (edge or contour)) with (intensity near2 difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:18
S48	9	(class\$8 with (edge or contour)) same (intensity near2 difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:23
S49	151	(class\$8 with (edge or contour)) and (intensity near2 difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:24

S50	21	((class\$8 with (edge or contour)) and ((intensity near2 difference)with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 06:50
S51	25	((class\$8 or categor\$7) with (edge or contour)) and ((intensity near2 difference)with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 06:55
S52	159	((class\$8 or categor\$7 or identifi\$6 or detect\$4) with (edge or contour)) and ((intensity near2 difference)with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 07:00
S53	40	((class\$8 or categor\$7 or identifi\$6 or detect\$4) with (edge or contour)) and ((intensity near2 difference)with threshold\$4)and decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 07:00